

# 2020 Senoia Raceway Rulebook - Hot Shots

---

All drivers must adhere to the general rules, in addition to the division specific rules set forth below

## Four cylinder front wheel drive cars

Designed to be a fun, inexpensive entry level class

### CARS:

1. 96" minimum wheelbase. 105" maximum wheelbase.
2. NO GM rear wheel drive cars. NO all wheel drive cars.
3. NO low profile cars such as Camaro, Firebird, or Mustang.
4. Front and rear tow hooks required for wrecker purposes.
5. Complete stock body with stock frame and suspension components in stock location. Hulling only on drivers side door for roll cage.

### CAR CLAIM:

1. Complete car claim of \$2000. Must run in the top 3 to claim. Claims do not include any safety equipment: seat, seatbelts, window net, or fire extinguisher. No claiming for others or group claims (pooling money together).
2. Computer claim rule of \$100. Must finish in top 5 and on lead lap to submit claim.

### ENGINE:

1. MUST be stock for make. (Chevrolet in Chevrolet, etc)
2. NO modifications
3. 4 cylinder engines only
4. No superchargers
5. Stock exhaust must run at least past the drivers door
6. Stock air filter and breather
7. Stock ignition
8. Alternator must work and be in original position
9. Battery must remain in original position and be securely mounted
10. Car must have stock wiring harness
11. Must have a copy of owners manual for specific car you are racing

### TRANSMISSION:

1. Stock automatic or stock standard transmission

### DRIVELINE:

1. Front wheel drive only
2. Rear end must be stock for make and model

### BRAKES:

1. Must remain stock for make and model of car
2. NO adjusters

### SUSPENSION AND FRAME:

1. NO altering in any way
2. Stock shocks in stock locations
3. No adjustable or aluminum shocks

BODY:

1. 2 door and 4 door cars allowed
2. All glass must be removed. Windshield may remain if desired.
3. May remove back seat, must cover opening with metal.
4. Doors must be welded or chained shut.
5. No hulling of right side doors and trunk area. If so, must add 100 lbs to total weight.
6. No cutting of body anywhere

ROLL CAGE AND SAFETY:

1. Four point roll cage is mandatory. All bars must be welded and be a minimum diameter of 1 1/2" and minimum .083 wall thickness steel tubing. No pipe fittings allowed. Aluminum and other soft materials are not permitted
2. Drivers side door may be hulled out for roll cage only.
3. A quick release safety belt of at least 3 inch wide material is mandatory and must be bolted to the roll bars with 3/8" minimum bolts. Shoulder harness mandatory 3" minimum.
4. Racing seat required.
5. Steering wheel center must be padded.
6. Fuel cell may be used. If fuel cell is used, it must be mounted inside a 0.20 gauge metal box secured by 1" steel straps.
- 7. Full firesuit, Snell rated helmet, and Raceceiver are mandatory.**
8. All cars must be equipped with a fully charged 2 pound minimum fire extinguisher in good working order and installed within easy reach of driver.

WHEELS:

1. 7" maximum width wheels, 1" tolerance. May be double centered.
2. Oversized lug nuts are recommended.

TIRES:

1. Maximum tire size is P235/70R15. DOT tires only.
2. NO RACING TIRES!
3. All 4 WHEELS must be same size. (14 inch, 15 inch, etc)

WEIGHT:

1. After race, car must weigh 1 lb per c.c. Minimum weight of 2200 lb for all cars/drivers.

THIS IS A STOCK CLASS, EVERYTHING MUST BE STOCK UNLESS STATED OTHERWISE ABOVE. IF IN DOUBT, DO NOT TRY IT. IF IT IS NOT STOCK, IT IS NOT LEGAL!!!

If any week this class has less than 10 entries, the entered cars will start in rear of Mini feature.

2019 Pay Scale

\*as discussed at meeting

1-5 Cars	Trophy or Big Check for Winner
6-10 cars	\$150 to win
11-15 cars	\$200 to win
16-20 cars	\$300 to win
21+ cars	\$500 to win